

**FINISH HARDWARE SCHEDULE FOR  
Goodwill Ontario Great Lakes  
Social Enterprises Abilities Centre  
255 Horton Street  
London, Ontario**

**Project Number:** 11009

**Architect:** Paul Kershaw Architect  
40 Windsor Ave.,  
London, Ont., N6C 1Z7  
Tel: 1-519-434-9224  
Fax: 1-519-434-5217

**Contractor:** McKay Cocker Construction Ltd.  
1665 Oxford Street E., PO Box 7345  
London, Ont., N5Y 5R9  
Tel: 519-451-5270  
Fax: 519-451-8050

**SCHEDULE BY:**



**150 Exeter Road  
London, Ont., Canada N6L 1G9  
Tel: 519-652-6766 Or 888-741-2253  
Fax: 519-652-2496  
www.proable.com**

**Schedule Written by** John Harris AHC ext 229

**Co-ordinator** Krista Christensen ext 230

**WRITTEN:** 10/08/21

**REVISED:** 10/09/17

10/11/23

10/12/08

11/02/16

**FINISH HARDWARE SCHEDULE FOR  
Goodwill Ontario Great Lakes  
Social Enterprises Abilities Centre  
255 Horton Street  
London, Ontario**

**Project Number:** 11009

**A) GENERAL**

This section shall be governed by General Requirements in Section 1 of the Architectural Specifications for this project.

**B) WORK INCLUDED**

The hardware supplier shall furnish and deliver to the project all items of Architectural finishing hardware along with the installation and termination of all electrical products as specified.  
Items included in work as follows:

- Hollow Metal Door Hardware
- Aluminum Door Hardware
- Wood Door Hardware
- Installation of Barrier Free Door Operators
- Installation of Access Controls

**C) RELATED WORK SPECIFIED ELSEWHERE**

The following related items are specified in other Divisions of the specification

- Installation of Finish Hardware
- Aluminum Door Hardware
- Automatic Sliding / Swing Doors
- Millwork Hardware
- Card Reader Wiring
- B/F Door Operator Wiring

**D) SCHEDULES**

The hardware supplier shall submit 6 copies of the hardware schedule to the Architect through the general contractor for review. After Architect's review, supply the required number of hardware schedules to the General Contractor for his distribution to the necessary trades and / or suppliers

**FINISH HARDWARE SCHEDULE FOR  
Goodwill Ontario Great Lakes  
Social Enterprises Abilities Centre  
255 Horton Street  
London, Ontario**

**Project Number:** 11009

**E) MANUFACTURERS**

All hardware shall be of the best in quality and free from defects and materials, finish, and workmanship.

Listed below are the manufacturers whose products are specified in the hardware schedule. Manufacturer's names/product series following the specified manufacturer are considered equal providing they are of identical quality, design and finish.

	<b>SPECIFIED</b>
Hinges	Ives
Locksets, Passage, Privacy Sets	Schlage L9000 series Schlage AL series
Door Closers	LCN 4000 Series
Exit Devices	Von Duprin 98 Series Von Duprin 22 series
Overhead Stops, Holders	Glynn Johnson 90 Series / 100 Series/ 450 Series
Door Pulls / Push Plates	Gallery
Kick Plates	Gallery
Floor Stops	Gallery
Thresholds	KN Crowder
Weatherstrip	
Flush Bolts	Gallery
Electric Strike	Von Duprin / Hes
Power Supplies	
Barrier Free Operators	Hunter
Wall Switches	Camden
Card readers, Controllers	Schlage Electronics

**FINISH HARDWARE SCHEDULE FOR  
Goodwill Ontario Great Lakes  
Social Enterprises Abilities Centre  
255 Horton Street  
London, Ontario**

**Project Number:** 11009

**F) TEMPLATES**

The hardware supplier shall supply all necessary templates to the required suppliers through the General contractor to ensure the proper preparation for hardware.

**G) MARKING, PACKAGING, DELIVERY AND STORAGE**

All hardware with the exception of keys shall be delivered to the site clearly labelled with item and door numbers to correspond with the hardware schedule.

Storage and protection of hardware on site shall be the responsibility of the general contractor

**H) FINISHES**

Listed below is a description of finishes as listed in the hardware schedule.

C26D & 626	Satin Chrome
C32D & 630	Satin Stainless Steel
AL	Aluminum Colour Sprayed Paint
689	Spray Aluminum
C28 & 628	Aluminum

**I) KEYING**

Meet with the owner to setup a new Grandmaster key system  
Provide 2 keys per each lock, 5 materkeys per each master and 5 grandmaster keys.

**J) FASTENERS**

All fasteners shall be of the same material and finish of the hardware item being installed.  
The hardware supplier shall pack the proper screw type (wood or machine) to suit the material to which the hardware item is being installed.

**FINISH HARDWARE SCHEDULE FOR  
Goodwill Ontario Great Lakes  
Social Enterprises Abilities Centre  
255 Horton Street  
London, Ontario**

**Project Number:** 11009

**K) INSTALLATION**

All hardware shall be installed by skilled tradesmen to the Manufactures' installation templates and Instructions.

All barrier free door operators by the finish hardware supplier  
Supply and installation of all low voltage wiring and termination of low voltage wiring to wall switches, electric strikes, card readers, controllers by finish hardware supplier

Listed below are the locations at which hardware is to be installed, unless otherwise noted. All measurements are from floor.

Locksets & Passage Sets = 40-5/16" to centre of knob/lever  
Door Pulls = 42" to centre line  
Panic Set = 39 13/16" to CL (of cross bar)

Note: Where Door Pulls are supplied on the same doors as Push Plates, the Pulls shall be installed so That the heads of the Pulls throughbolts are concealed by the Push Plates.

The hardware supplier shall be available to the General Contractor to answer any inquiries prior to hardware, and in particular on the proper installation of Door Closers.

Installation Forming Part of This Contract

Installation of B/F operators

Supply and installation of low voltage wiring to wall switches / electric strikes

Installation / wiring / programming of card readers

Related Installation by Divison 16

115V power supply and termination to B/F operators / power supplies

Conduit to each wall switch location

**L) INSPECTION**

The hardware supplier shall visit the Site to ensure that all hardware is properly installed and operating. Installation errors and/or defective materials shall be reported to the General Contractor and corrected.

**FINISH HARDWARE SCHEDULE FOR  
Goodwill Ontario Great Lakes  
Social Enterprises Abilities Centre  
255 Horton Street  
London, Ontario**

**Project Number:** 11009

**M) DESCRIPTION OF ABBREVIATIONS**

Listed below are descriptions of abbreviations which may appear in the specifications.

HMD	Hollow Metal Door	LH/ RHR	Left Hand
HMF	Hollow Metal Frame	RH/ LHR	Right Hand
NRP	Non Removable Pin		
WD	Wood Door		
WF	Wood Frame		
CL	Center Line		
H	Hold Open		
HR	Hour		
MTG	Mounting		
TB	Thru Bolts		

**N) ELECTRICAL**

Supply Division 16 with all riser diagrams and wiring diagrams. Clearly list the door opening and each electrical component on the diagrams.

Division 16 shall supply and termination 115V power to each power supply / barrier free door operators and Access control panels.

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

Door No.	Heading	Door No.	Heading	Door No.	Heading	Door No.	Heading	Door No.	Heading
B01	1	203A	31	221E	37				
B11	1	203C	31	213D	38				
B18-2	1	203D	31	216	38A				
B07	2	203F	31	227	39				
B10	3	203G	31	228	39				
B18-1	4	203H	31	229	39				
101	5	203M	31	230	39				
101-2	6	203I	31A	231	39				
101-3	7	204	32	232	39				
102-1	8	204-1	32A	234	39				
102-2	9	205-1	33	221A	40				
102-3	10	205-2	34	222	41				
103-1	11	206	35	225	41A				
103-2	12	236	35A	226	42				
103-3	12A	211	36	233	43				
103A	12B	218	36	235	44				
107-1	13	311	36	328	45				
107-2	13	318	36	301-1	45				
112-2	13	311-1	36	301-2	46				
107-3	14	318-1	36	302	47				
107-4	15	213A	36A	303	48				
107-5	16	213B	36A	306	48				
108-1	17	213C	36A	308	48				
108-2	18	214A	37	309	48				
109	19	214B	37	310	48				
110	20	214C	37	320	49				
111	21	214D	37	316	50				
112-1	22	214E	37	317	51				
112-3	23	214F	37	321	52				
112-4	23	214G	37	322	52A				
112-5	23	214H	37	323	53				
112-6	24	214K	37	320-1	54				
113	25	215	37	324-1	54				
114	25	217	37	324-2	54				
115	26	220A	37	325-1	54				
116	27	220B	37	326	55				
117	28	220C	37	327	55				
119	28A	220D	37	350	56				
118	29	220E	37	MISC	57				
120	29A	220F	37	MISC1	58				
121	29B	220G	37	SAMPLE	59				
122	29B	220H	37	202	60				
123	29B	220K	37	203	60				
118A	29C	221B	37						
200-1	30	221C	37						
200-2	30	221D	37						

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 1

1 Sgl Door B01 VESTIBULE B01 From UNFINISHED STORAGE	100-RHR	AD1
1 Sgl Door B11 EXIT B11 From UNFINISHED STORAGE	100-LHR	AD1
1 Sgl Door B18-2 EXIT STAIR From UNFINISHED STORAGE	100-LHR	AD1

TYPE C 914 X 2134 X 45 HMD / HMF

1 1/2 HR "B" LABEL

9 Hinges	5BB1 114 X 102	652
3 Fire Exit Device	98EO-F	US26D
1 Exit Device Trim	996L-R&V 17 (B01)	RHR US26D
2 Exit Device Trim	996L-R&V 17 (B11,B18-2)	LHR US26D
3 GLASS BEAD KIT	99-1\4" GBK R-M	689
3 Rim Cylinder	20-021 C123 50-210-GMK	626
3 Closer	4031 REG	689
3 Kick Plate	GSH 80A 203 X 1033	C32D
3 Wall Stop	GSH 250B	C32D

---

## Heading # 2

1 Sgl Door B07 UNFINISHED SPACE To MACHINE ROOM B07	100-RH	KD
1 Sgl Door B07-1 MECHANICAL SHAFT AREA To BASEMENT WATER HEATER ROOM	90-LH	KD

TYPE B 914 X 2134 X 45 HMD / HMF

1 1/2 HR "B" LABEL

6 Hinges	5BB1 114 X 102	652
2 Lockset	AL80PD NEP	626
2 Closer	4031 REG	689
2 Kick Plate	GSH 80A 203 X 876	C32D
2 Floor Stop	GSH 218	C26D
2 Gasket	W-21 X 5182	BLK
2 Door Sweep	W-13S X 914	CA

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE  
ICN# 19

## Heading # 3

1 Sgl Door B10 EXIT STAIR B18 From VESTIBULE B18	140-LHR	AD2
--	---------	-----

TYPE B10 914 X 2134 X 45 HMD/HMF

3/4 HR "C" LABEL

3 Hinges	5BB1 114 X 102	652
1 Lockset	AL80PD NEP	626
1 Closer	4031 REG	689
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Floor Stop	GSH 218	C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 4

1 Sgl Door B18-1 EXIT B18 From ELECTRICAL VESTIBULE 100-RHR AD2

TYPE B 914 X 2134 X 45 HMD / HMF

1 1/2 HR "B" LABEL

3 Hinges	5BB1 114 X 102	652
1 Lockset	AL80PD NEP	626
1 Closer	4031 REG	689
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Wall Stop	GSH 250B	C32D

---

## Heading # 5

1 Pr Doors 101 EXTERIOR From ENTRANCE 101 100-DELHR AD1

TYPE A 2- 1070 X 2590 X 45 ALUM DR / ALUM FR

2 Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
AUTOMATIC DOOR OPERATORS BY OTHERS BALANCE OF ALUMINUM DOOR HARDWARE BY DOOR SUPPLIER		

---

## Heading # 6

1 Pr Doors 101-2 ENTRANCE 101-2 From LOBBY 100 100-DELHR AD1

TYPE A 2- 1070 X 2590 X 45 ALUM DR / ALUM FR

2 Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
BALANCE OF HARDWARE BY DOOR SUPPLIER		

---

## Heading # 7

1 Pr Doors 101-3 ENTRANCE 100 From CAFE 102 100-RHRA

TYPE A 2- 1070 X 2590 X 45 ALUM DR / ALUM FR

OPENING DELETED

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 8

1 Pr Doors 102-1 EXTERIOR To CAFE 102	100-RHA	AA1
TYPE F 2- 1070 X 2590 X 45 SCWD / WOOD FR		
1 Mortise Cylinder	30-001 X 28 C123 50-210-GMK	626

---

## Heading # 9

1 Sgl Door 102-2 EXIT 111 From CAFE 102	100-RHR	AA1
TYPE C 914 X 2745 X 45 HMD / HMF		
1 1/2 HR "B" LABEL		
4 Hinges	5BB1 114 X 102 NRP	652
1 Fire Exit Device	98EO-F	US26D
1 Prox Exit Trim	AD-400-993R-PR-SPA-626-PD-C12 3-RHR-4B	
1 GLASS BEAD KIT	99-1\4" GBK R-M	689
1 Rim Cylinder	20-021 C123 50-210-GMK	626
1 Closer	4031 REG	689
1 Kick Plate	GSH 80A 203 X 1033	C32D
1 Floor Stop	GSH 218	C26D

---

## Heading # 10

1 Sgl Door 102-3 LOBBY 100 To CAFE 102	100-RH	AA1
TYPE B 1070 X 2590 X 45 HMD / HMF		
1 1/2 HR "B" LABEL		
3 Hinges	5BB1HW 114 X 102	652
1 Lockset	AL70PD NEP	626
1 Closer	4040 SE STD	689
MOUNT CLOSER REGULAR MOUNT		
1 Kick Plate	GSH 80A 203 X 1033	C32D
1 Floor Stop	GSH 218	C26D
DIVISION 16 TO SUPPLY FIRE ALARM CONTACT TO THE DOOR CLOSER		

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 11

1 Sgl Door 103-1 CAFE 102 To KITCHEN 103 100-LH AA1

TYPE D 914 X 2590 X 45 SCWD / HMF

4 Hinges	5BB1 114 X 102	652
1 Lockset	AL53PD NEP	626
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Wall Stop	GSH 250B	C32D

---

## Heading # 12

1 Sgl Door 103-2 EXIT 111 To KITCHEN 103 100-RH AA1

TYPE B 914 X 2134 X 45 HMD / HMF

1 1/2 HR "B" LABEL

3 Hinges	5BB1 114 X 102	652
1 Lockset	AL80PD NEP	626
1 Closer	4031 REG	689
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Floor Stop	GSH 218	C26D

---

## Heading # 12A

1 Sgl Door 103-3 CORRIDOR 106 To KITCHEN 103 100-RH AA1

TYPE C 914 X 2590 X 45 HMD / HMF

1 1/2 HR "B" LABEL

4 Hinges	5BB1 114 X 102	652
1 Lockset	AL80PD NEP	626
1 Closer	4031 REG	689
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Floor Stop	GSH 218	C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 12B

1 Sgl Door 103A KITCHEN 103 To DRY STORAGE 103A 100-RH AA1

TYPE B 914 X 2134 X 45 HMD / HMF

1 1/2 HR "B" LABEL

3	Hinges	5BB1 114 X 102	652
1	Lockset	AL53PD NEP	626
1	Closer	4031 REG	689
1	Kick Plate	GSH 80A 203 X 876	C32D
1	Floor Stop	GSH 218	C26D

---

## Heading # 13

1 Sgl Door 107-1 CORRIDOR 108 To RETAIL SPACE 107 AD1

1 Sgl Door 107-2 CORRIDOR 108 To RETAIL SPACE 107 AD1

1 Sgl Door 112-2 EXTERIOR To SORTING / STORAGE 112 AB1

TYPE J AUTOMATIC SLIDING DOORS

3	Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
BALANCE OF HARDWARE BY DOOR MANUFACTURER.			

---

## Heading # 14

1 Pr Doors 107-3 SORTING / STORAGE 112 To RETAIL SPACE 107 DALH

TYPE 1 TRAFFIC DOORS

ALL HARDWARE BY DOOR MANUFACTURER.

---

## Heading # 15

1 Sgl Door 107-4 SORTING / STORAGE 112 To RETAIL SPACE 107

TYPE H ROLLING SHUTTER

OPENING DELETED

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 16

1 Sgl Door 107-5 EXIT 111 From RETAIL SPACE 107 100-LHR AD1/AB2

TYPE B 1070 X 2134 X 45 HMD / HMF  
3/4 HR "C" LABEL

3	Hinges	5BB1HW 114 X 102 NRP	652
1	Fire Exit Device	98EO-F 98-ALK-RX 48"	US26D
1	Exit Device Trim	996L-R&V 17 (107-5)	LHR US26D
1	GLASS BEAD KIT	99-1\4" GBK R-M	689
1	Rim Cylinder	20-021 C123 50-210-GMK	626
1	Mortise Cylinder	20-001 X 28 C123 50-210-GMK	626
1	Kick Plate	GSH 80A 203 X 1033	C32D
1	Closer	4031 REG	689
1	Floor Stop	GSH 218	C26D

---

## Heading # 17

1 Pr Doors 108-1 EXTERIOR From CORRIDOR 108 100-DELHR AD1

TYPE A 2- 1070 X 2590 X 45 ALUM DR / ALUM FR

2	Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
1	ELECTRIC STRIKE	S6508 12 TO 24 VAC	32D
1	Prox Reader	SXF1500	BLK
1	Reader Interface	WRI400	
1	SCANNER PIR	SCAN 11-W	
1	POWER SUPPLY	AL600 ULX 6AMP	
1	LABOUR TO INSTALL:	LOW VOLTAGE WIRING TO CARD READERS	

AUTOMATIC DOOR OPERATORS BY OTHERS  
BALANCE OF ALUMINUM DOOR HARDWARE BY  
DOOR SUPPLIER

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 18

1 Pr Doors 108-2 CORRIDOR 108 From LOBBY 100

100-DELHR

TYPE A 2- 1070 X 2590 X 45 ALUM DR / ALUM FR

AUTOMATIC DOOR OPERATORS BY OTHERS  
ALL ALUMINUM DOOR HARDWARE BY DOOR  
SUPPLIER

## Heading # 19

1 Sgl Door 109 CORRIDOR 106 To FAMILY WASHROOM 109

100-RH

AD2

TYPE B 1070 X 2590 X 45 SCWD / HMF

1 1/2 HR "B" LABEL

4	Hinges	5BB1HW 114 X 102	652
1	MORTAR GUARD	LD1	
1	Lockset	AL80PD NEP	626
1	ELECTRIC STRIKE	1006 LBM J 12\24VAC	630
1	Door Operator	AUTOSWING-RH/PULL-HA8 X 1143	CA
2	Wall Switch-RND	40/4-PTO+LOGO X 114	SS
2	TRIM\ADAPTER PLATE	FOR 4" SWITCHES CM-440	AL
1	PUSH BUTTON	CM-30 SERIES ILLUMINATED WITH WORDING "OCCUPIED WHEN LIT"	
1	PUSH BUTTON	CM-400\8 RED (PUSH TO LOCK)	
1	SIGNAGE	SE1 25MM LETTERS "PRESS RED BUTTON FOR PRIVACY, PRESS H\C SWITCH TO ACTIVATE DOOR, WHITE LETTERS ON BLACK BACKGROUND	
1	INTERFACE RELAY	ITI200S	
1	Kick Plate	GSH 80A 203 X 1033	C32D
1	Floor Stop	GSH 218	C26D
1	Pictogram	AKLP-58 BLACK ON SILVER 152 X 152	
1	Signage	SLB1 Engraved "FAMILY WASHROOM" BLK\SLV	
1	LABOUR TO INSTALL:	AUTO OPERATORS AND ACCESSORIES	

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 20

1 Sgl Door 110 KITCHEN 102 To JANITOR 110 100-RH AA1

TYPE B 914 X 2134 X 45 HMD / HMF

1 1/2 HR "B" LABEL

3	Hinges	5BB1 114 X 102	652
1	Lockset	AL80PD NEP	626
1	Closer	4031 REG	689
1	Kick Plate	GSH 80A 203 X 876	C32D
1	Floor Stop	GSH 218	C26D

---

## Heading # 21

1 Sgl Door 111 EXTERIOR From EXIT 111 100-LHR AD1

TYPE B 1070 X 2750 X 45 HMD / HMF

4	Hinges	5BB1HW 114 X 102 NRP	630
1	Exit Device	98EO 48" 299 (BLK)	US26D
1	Prox Exit Trim	AD-400-993R-PR-SPA-626-PD-C12 3-RHR-4B	
1	Closer	4111 CUSH (111)	RH 689
1	Kick Plate	GSH 80A 203 X 1033	C32D
1	Threshold	CT-65 X 1220	AL
1	Weatherstrip	W-13 1 X 1220 + 2 X 2750	CA
1	Door Sweep	W-13S X 1220	CA

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 22

1 Sgl Door 112-1 EXTERIOR From SORTING / STORAGE 112      100-LHR      AB1

TYPE A 1070 X 2590 X 45 ALUM DR / ALUM FR

1	Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
1	ELECTRIC STRIKE	S6508 12 TO 24 VAC	32D
1	Prox Reader	SXF1500	BLK
1	Reader Interface	WRI400	
1	SCANNER PIR	SCAN 11-W	
1	LABOUR TO INSTALL:	LOW VOLTAGE WIRING TO CARD READERS	
	BALANCE OF HARDWARE BY ALUMINUM DOOR SUPPLIER		

---

## Heading # 23

1 Sgl Door 112-3 EXTERIOR From SORTING / STORAGE 112  
1 Sgl Door 112-4 EXTERIOR From SORTING / STORAGE 112  
1 Sgl Door 112-5 EXTERIOR From SORTING / STORAGE 112

TYPE G OVERHEAD DOOR

ALL HARDWARE BY DOOR MANUFACTURER.

---

## Heading # 24

1 Sgl Door 112-6 EXTERIOR From SORTING / STORAGE 112      100-RHR      AB3

TYPE B 914 X 2134 X 45 HMD / HMF

3	Hinges	5BB1HW 114 X 102 NRP	630
1	Exit Device	98EO 299 (BLK)	US26D
1	Exit Device Trim	996L-R&V 17 (112-6)	RHR US26D
1	Rim Cylinder	20-021 C123 50-210-GMK	626
1	Closer	4111 CUSH (112-6)	LH 689
1	Kick Plate	GSH 80A 203 X 876	C32D
1	Threshold	CT-65 X 914	AL
1	Weatherstrip	W-13 1 X 914 + 2 X 2134	CA
1	Door Sweep	W-13S X 1220	CA

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 25

1 Sgl Door 113 SORTING / STORAGE 113 To WOMEN'S WASHROOM 113 100-LH  
1 Sgl Door 114 SORTING / STORAGE 113 To MEN'S WASHROOM 114 100-RH

TYPE B 1070 X 2134 X 45 SCWD / HMF

6 Hinges	5BB1HW 114 X 102	652
2 Privacy Set	AL40S NEP	626
2 Kick Plate	GSH 80A 203 X 1033	C32D
2 Floor Stop	GSH 218	C26D
1 Pictogram	AKLP-64 BLACK ON SILVER (114)	
1 Pictogram	AKLP-65 BLACK ON SILVER 203 X 152 (113)	

---

## Heading # 26

1 Sgl Door 115 SORTING / STORAGE 112 To MANAGER 115 100-LH AB4

TYPE B 914 X 2134 X 45 SCWD / HMF

3 Hinges	5BB1 114 X 102	652
1 Lockset	AL53PD NEP	626
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Floor Stop	GSH 218	C26D

---

## Heading # 27

1 Sgl Door 116 SORTING / STORAGE 112 To CASH 116 100-LH AB5

TYPE B 914 X 2134 X 45 SCWD / HMF

3 Hinges	5BB1 114 X 102	652
1 Lockset	AL80PD NEP	626
1 Closer	4031 REG	689
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Floor Stop	GSH 218	C26D
1 Door Viewer	511	C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 28

1 Sgl Door 117 SORTING / STORAGE 117 To STAFF 117 100-RH

TYPE B 914 X 2134 X 45 SCWD / HMF

3 Hinges	5BB1 114 X 102	652
1 Passage Set	AL10S NEP	626
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Floor Stop	GSH 218	C26D

---

## Heading # 28A

1 Sgl Door 119 SORTING / STORAGE 117 To FIRST AID 119 100-RH AB6

TYPE B 1070 X 2134 X 45 SCWD / HMF

3 Hinges	5BB1HW 114 X 102	652
1 Lockset	AL70PD NEP	626
1 Kick Plate	GSH 80A 203 X 1033	C32D
1 Floor Stop	GSH 218	C26D

---

## Heading # 29

1 Pr Doors 118 EXTERIOR From EXIT 118 100-RHRA AD1

TYPE A 2- 1070 X 2590 X 45 ALUM DR / ALUM FR

2 Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
1 ELECTRIC STRIKE	S6508 12 TO 24 VAC	32D
1 Prox Reader	SXF1500	BLK
1 Reader Interface	WRI400	
1 SCANNER PIR	SCAN 11-W	
1 LABOUR TO INSTALL:	LOW VOLTAGE WIRING TO CARD READERS	

BALANCE OF ALUMINUM DOOR HARDWARE BY  
DOOR SUPPLIER

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 29A

1 Sgl Door 120 RETAIL SPACE 107 From B/F CHANGEROOM		100-RHR	AB7
TYPE B 1070 X 2134 X 45 SCWD / HMF			
3 Hinges	5BB1HW 114 X 102	652	
1 Lockset	AL80PD NEP	626	
1 Overhead Stop	905S	US32D	
1 Kick Plate	GSH 80A 203 X 1033	C32D	

---

## Heading # 29B

1 Sgl Door 121 RETAIL SPACE 107 From CHANGEROOM		90-LHR	AB7
1 Sgl Door 122 RETAIL SPACE 107 From CHANGEROOM		90-RHR	AB7
1 Sgl Door 123 RETAIL SPACE 107 From CHANGEROOM		90-LHR	AB7
TYPE B 914 X 2134 X 45 SCWD / HMF			
9 Hinges	5BB1 114 X 102	652	
3 Lockset	AL80PD NEP	626	
3 Overhead Stop	904S	US32D	
3 Kick Plate	GSH 80A 203 X 876	C32D	

---

## Heading # 29C

1 Sgl Door 118A EXIT 118 From SORTING/STORAGE 112		RHR	AD1
TYPE C 914 X 2134 X 45 HMD/HMF			
1 1/2 HR "B" LABEL			
3 Hinges	5BB1 114 X 102 NRP	652	
1 Fire Exit Device	98EO-F	US26D	
1 Prox Exit Trim	AD-400-993R-PR-SPA-626-PD-C12 3-RHR-4B		
1 Closer	4031 REG	689	
1 Kick Plate	GSH 80A 203 X 876	C32D	
1 Floor Stop	GSH 218	C26D	

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 30

1 Sgl Door 200-1 UPPER LOBBY 200 From GENERAL OFFICE 213	100-LHR	AD1
1 Sgl Door 200-2 UPPER LOBBY 200 To OPEN OFFICE 203	100-LH	AD1

## TYPE A 1070 X 2750 X 45 ALUM DR / ALUM FR

2 Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
2 Electric Strike	5100-3FP	SP28
1 Door Operator	AUTOSWING-LH/PULL-HA8 X 1143 (200-1)	CA
1 Door Operator	RH/PUSH-HA8 X 1143 (200-2)	CA
4 Wall Switch-RND	40/4-PTO+LOGO X 114	SS
4 TRIM\ADAPTER PLATE	FOR 4" SWITCHES CM-440	AL
2 ON-OFF-HOLD SWITCH	CM-170\3	32D
MOUNT ON-OFF SWITCH IN ALUMINUM FRAME 1050MM AFF.		
2 Prox Reader	SXF1500	BLK
2 Reader Interface	WRI400	
2 SCANNER PIR	SCAN 11-W	
2 Power Supply	PS902	
2 LABOUR TO INSTALL:	AUTO OPERATORS AND ACCESSORIES	
2 LABOUR TO INSTALL:	LOW VOLTAGE WIRING TO CARD READERS	
DEADLATCH AND PADDLE BY ALUMINUM DOOR SUPPLIER.		

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 31

1 Sgl Door 203A	OPEN OFFICE 203 To OFFICE 203A	100-LH	AD3
1 Sgl Door 203C	OPEN OFFICE 203 To OFFICE 203C	100-RH	AD4
1 Sgl Door 203D	OPEN OFFICE 203 To OFFICE 203D	100-LH	AD5
1 Sgl Door 203F	OPEN OFFICE 203 To OFFICE 203F	100-RH	AD6
1 Sgl Door 203G	OPEN OFFICE 203 To OFFICE 203G	100-LH	AD7
1 Sgl Door 203H	OPEN OFFICE 203 To OFFICE 203H	100-RH	AD8
1 Sgl Door 203M	OPEN OFFICE 203 To MEETING 203M	100-RH	AD9

TYPE E 914 X 2750 X 45 SCWD / HMF

28 Hinges	5BB1 114 X 102	652
7 Lockset	AL53PD NEP	626
7 Floor Stop	GSH 218	C26D
7 Kick Plate	GSH 80A 203 X 876	C32D

---

## Heading # 31A

1 Pr Doors 203I SLIDING DOOR BETWEEN OFFICE 203H AND BOARDROOM  
203M

4 Flush Pull	960	C26D
1 HOOKBOLT LOCK	HB2303-1AL	AL
1 STRIKE	1090AC28	C28
1 THUMBTURN	1090AC28	C28
2 Flush Pull	GSH 19	C26D

---

## Heading # 32

1 Sgl Door 204	OPEN OFFICE 203 To COPY ROOM 204	100-LH	AD10
----------------	----------------------------------	--------	------

TYPE B 914 X 2750 X 45 SCWD / HMF

4 Hinges	5BB1 114 X 102	652
1 Lockset	AL53PD NEP	626
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Floor Stop	GSH 218	C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 32A

1 Sgl Door 204-1 CORRIDOR 212 To COPY ROOM 204

100-RH

OPENING DELETED

---

## Heading # 33

1 Sgl Door 205-1 CORRIDOR 205 From OPEN OFFICE 203

100-LHR

AD11

TYPE D 1070 X 2750 X 45 SCWD / HMF

4 Hinges	5BB1HW 114 X 102 NRP	652
1 Exit Device	98EO 48" 299 (BLK)	US26D
1 Prox Exit Trim	AD-400-993R-PR-SPA-626-PD-C12 3-RHR-4B	
1 Closer	4031 REG	689
1 Kick Plate	GSH 80A 203 X 1033	C32D
1 Floor Stop	GSH 218	C26D

---

## Heading # 34

1 Sgl Door 205-2 CORRIDOR 205 From OPEN OFFICE 203

100-RHR

TYPE B 1070 X 2134 X 45 SCWD / HMF

OPENING DELETED

---

## Heading # 35

1 Sgl Door 206 CORRIDOR 226 To STORAGE

120-RH

AC3

TYPE B 914 X 2750 X 45 SCWD / HMF

4 Hinges	5BB1 114 X 102	652
1 Lockset	AL80PD NEP	626
1 Closer	4031 REG	689
1 Kick Plate	GSH 80A 203 X 876	C32D
1 Floor Stop	GSH 218	C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 35A

1 Sgl Door 236 CORRIDOR 226 To FILES ROOM 236		100-RH	AC
TYPE B 914 X 2750 X 45 SCWD / HMF			
4 Hinges	5BB1 114 X 102	652	
1 Keypad lock	CO-100-CY-70-KP-SPA-626-PD		
1 Closer	4031 REG	689	
1 Kick Plate	GSH 80A 203 X 876	C32D	
1 Floor Stop	GSH 218	C26D	

---

## Heading # 36

1 Sgl Door 211 EXIT 211 From CORRIDOR 205		100-LHR	AD1
1 Sgl Door 218 EXIT 218 From OPEN OFFICE 214		100-LHR	AD1
1 Sgl Door 311 EXIT 311 From OPEN OFFICE 312		100-LHR	AD1
1 Sgl Door 311-1 EXIT 311 From CORRIDOR 320		100-RHR	AD1
1 Sgl Door 318 EXIT 318 From FYER 328		100-RHR	AD1
1 Sgl Door 318-1 EXIT 318 From UNFINISHED AREA 350		100-RHR	AD1
TYPE C 914 X 2134 X 45 HMD / HMF			
1 1/2 HR "B" LABEL			
18 Hinges	5BB1 114 X 102 NRP	652	
6 Fire Exit Device	98EO-F	US26D	
6 Prox Exit Trim	AD-400-993R-PR-SPA-626-PD-C12 3-RHR-4B		
6 Closer	4031 REG	689	
6 Kick Plate	GSH 80A 203 X 876	C32D	
6 Floor Stop	GSH 218	C26D	

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 36A

1 Sgl Door 213A	GENERAL OFFICE 213 To OFFICE 213A	100-RH	AC2
1 Sgl Door 213B	GENERAL OFFICE 213 To OFFICE 213B	100-RH	AC2
1 Sgl Door 213C	GENERAL OFFICE 213 To OFFICE 213C	100-LH	AC2

TYPE E 914 X 2750 X 45 SCWD / HMF

12 Hinges	5BB1 114 X 102	652	
3 Lockset	AL53PD NEP	626	
3 Kick Plate	GSH 80A 203 X 876	C32D	
3 Floor Stop	GSH 218	C26D	

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 37

1 Sgl Door	214A	GENERAL OFFICE 214 To OFFICE 214A	100-RH
1 Sgl Door	214B	GENERAL OFFICE 214 To OFFICE 214B	100-LH
1 Sgl Door	214C	GENERAL OFFICE 214 To OFFICE 214C	100-RH
1 Sgl Door	214D	GENERAL OFFICE 214 To OFFICE 214D	100-LH
1 Sgl Door	214E	GENERAL OFFICE 214 To OFFICE 214E	100-RH
1 Sgl Door	214F	GENERAL OFFICE 214 To OFFICE 214F	100-LH
1 Sgl Door	214G	GENERAL OFFICE 214 To OFFICE 214G	100-RH
1 Sgl Door	214H	GENERAL OFFICE 214 To OFFICE 214H	100-LH
1 Sgl Door	214K	GENERAL OFFICE 214 To OFFICE 214K	100-LH
1 Sgl Door	215	GENERAL OFFICE 214 To OFFICE 215	100-RH
1 Sgl Door	217	CORRIDOR 220 To OFFICE 217	100-LH
1 Sgl Door	220K	CORRIDOR 220 To OFFICE 220K	100-RH
1 Sgl Door	220A	CORRIDOR 220 To OFFICE 220A	100-LH
1 Sgl Door	220B	CORRIDOR 220 To OFFICE 220B	100-RH
1 Sgl Door	220C	CORRIDOR 220 To OFFICE 220C	100-LH
1 Sgl Door	220D	CORRIDOR 220 To OFFICE 220D	100-RH
1 Sgl Door	220E	CORRIDOR 220 To OFFICE 220E	100-LH
1 Sgl Door	220F	CORRIDOR 220 To OFFICE 220F	100-RH
1 Sgl Door	220G	CORRIDOR 220 To OFFICE 220G	100-LH
1 Sgl Door	220H	CORRIDOR 220 To OFFICE 220H	100-RH
1 Sgl Door	221B	CORRIDOR 221 To OFFICE 221B	100-LH
1 Sgl Door	221C	CORRIDOR 221 To OFFICE 221C	100-LH
1 Sgl Door	221D	CORRIDOR 221 To OFFICE 221D	100-LH
1 Sgl Door	221E	CORRIDOR 221 To OFFICE 221D	100-RH

TYPE E 914 X 2750 X 45 SCWD / HMF

96 Hinges	5BB1 114 X 102	652
24 Passage Set	AL10S NEP	626
24 Kick Plate	GSH 80A 203 X 876	C32D
24 Floor Stop	GSH 218	C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 38

1 Sgl Door 213D GENERAL OFFICE 213 From GENERAL OFFICE 214 100-LHR AC

TYPE E 1070 X 2750 X 45 SCWD / HMF

3	Hinges	5BB1 114 X 102 NRP		652
1	Exit Device	98EO 48" 299 (BLK)		US26D
1	Exit Device Trim	996L-R&V 17 (213D)	LHR	US26D
1	Rim Cylinder	20-021 C123 50-210-GMK		626
1	Electric Strike	9600 12\24 VDC		630
1	Door Operator	RH/PUSH-HA8 X 1143		CA
2	Wall Switch-RND	40/4-PTO+LOGO X 114		SS
2	TRIM\ADAPTER PLATE	FOR 4" SWITCHES CM-440		AL
1	Kick Plate	GSH 80A 203 X 1033		C32D
1	Floor Stop	GSH 218		C26D
1	Prox Reader	SXF1500		BLK
1	Reader Interface	WRI400		
1	SCANNER PIR	SCAN 11-W		
1	Power Supply	PS902		
1	LABOUR TO INSTALL:	AUTO OPERATORS AND ACCESSORIES		
1	LABOUR TO INSTALL:	LOW VOLTAGE WIRING TO CARD READERS		

---

## Heading # 38A

1 Sgl Door 216 GENERAL OFFICE 214 To CLASSROOM 216 100-LH AC3

TYPE E 1070 X 2750 X 45 SCWD / HMF

4	Hinges	5BB1HW 114 X 102		652
1	Lockset	L9070L 17B (216)	LH	626
1	Mortise Cylinder	30-001 X 28 C123 50-210-GMK		626
1	Kick Plate	GSH 80A 203 X 1033		C32D
1	Floor Stop	GSH 218		C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 39

1 Sgl Door 227	CORRIDOR 226 To CLASSROOM 227	100-RH	AC3
1 Sgl Door 228	CORRIDOR 226 To CLASSROOM 228	100-RH	AC3
1 Sgl Door 229	CORRIDOR 226 To COMPUTOR LAB 229	100-RH	AC4
1 Sgl Door 230	CORRIDOR 226 To CLASSROOM 230	100-RH	AC3
1 Sgl Door 231	CORRIDOR 226 To CLASSROOM 231	100-LH	AC3
1 Sgl Door 232	CORRIDOR 226 To CLASSROOM 232	100-RH	AC3
1 Sgl Door 234	CORRIDOR 226 To CLASSROOM 234	100-RH	AC3

TYPE E 914 X 2750 X 45 SCWD / HMF

28 Hinges	5BB1 114 X 102		652
6 Lockset	L9070L 17B (227,228,229, 230,232,234)	RH	626
1 Lockset	L9070L 17B (231)	LH	626
7 Mortise Cylinder	30-001 X 28 C123 50-210-GMK		626
7 Kick Plate	GSH 80A 203 X 876		C32D
7 Floor Stop	GSH 218		C26D

---

## Heading # 40

1 Sgl Door 221A	CORRIDOR 220 To MEETING 221A	100-LH	
-----------------	------------------------------	--------	--

TYPE B 914 X 2750 X 45 SCWD / HMF

CCO# 27 OPENING# 219 DELETED

4 Hinges	5BB1 114 X 102		652
1 Passage Set	AL10S NEP		626
1 Kick Plate	GSH 80A 203 X 876		C32D
1 Floor Stop	GSH 218		C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 41

1 Sgl Door 222 CORRIDOR 220 To JANITOR 222 100-RH AC5

TYPE B 914 X 2750 X 45 HMD / HMF

4	Hinges	5BB1 114 X 102	652
1	Lockset	AL80PD NEP	626
1	Closer	4031 REG	689
1	Kick Plate	GSH 80A 203 X 876	C32D
1	Floor Stop	GSH 218	C26D

---

## Heading # 41A

1 Sgl Door 225 CORRIDOR 226 To TESTING 225 120-RH

TYPE B 1070 X 2750 X 45 HMD / HMF

4	Hinges	5BB1 114 X 102	652
1	Passage Set	AL10S NEP	626
1	Kick Plate	GSH 80A 203 X 1033	C32D
1	Floor Stop	GSH 218	C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 42

1 Sgl Door 226 CORRIDOR 226 From CORRIDOR 221 100-RHR AC

TYPE B 1070 X 2134 X 45 SCWD / HMF

3	Hinges	5BB1 114 X 102 NRP	652
1	Exit Device	98EO 48" 299 (BLK)	US26D
1	Exit Device Trim	996L-R&V 17 (226)	RHR US26D
1	Rim Cylinder	20-021 C123 50-210-GMK	626
1	Electric Strike	9600 12\24 VDC	630
1	Door Operator	LH/PUSH-HA8 X 991 (226)	LH CA
1	Wall Switch-RND	40/4-PTO+LOGO X 114	SS
1	TRIM\ADAPTER PLATE	FOR 4" SWITCHES CM-440	AL
1	Kick Plate	GSH 80A 203 X 1033	C32D
1	Floor Stop	GSH 218	C26D
1	Prox Reader	SXF1500	BLK
1	Reader Interface	WRI400	
1	SCANNER PIR	SCAN 11-W	
1	Power Supply	PS902	
1	LABOUR TO INSTALL:	AUTO OPERATORS AND ACCESSORIES	
1	LABOUR TO INSTALL:	LOW VOLTAGE WIRING TO CARD READERS	

## Heading # 43

1 Sgl Door 233 CORRIDOR 212 To SERVING KITCHEN 233 100-RH AC3

TYPE D 1070 X 2750 X 45 SCWD / HMF

4	Hinges	5BB1HW 114 X 102	652
1	Lockset	AL53PD NEP	626
1	Kick Plate	GSH 80A 203 X 1033	C32D
1	Floor Stop	GSH 218	C26D

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 44

1 Sgl Door 235 FILING 204 From IT ROOM 235	100-RHR	AC12
--	---------	------

TYPE B 914 X 2134 X 45 SCWD / HMF

3 Hinges	5BB1 114 X 102	652
1 Lockset	AL80PD NEP	626
1 Overhead Stop	904S	US32D
1 Kick Plate	GSH 80A 203 X 876	C32D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 45

1	Pr Doors 301-1 UPPER COM STAIR 300 To RECEPTION / WAITING 301	100-RHA	AD1
1	Pr Doors 328 UPPER COM STAIR 300 To FOYER 328	100-RHA	AF1

TYPE C 2- 1070 X 2750 X 45 HMD / HMF  
3/4 HR "C" LABEL

14	Hinges	5BB1 114 X 102	652	
2	Hinge	BB1279 114 X 102 ETW-4	US26D	
1	Hinge	BB1279 114 X 102 ETW-10 (301-1)	US15	
1	CURRENT TRANSFER	#9508-12S (301-1)		
2	Set Auto Flush Bolts	FB51P	US32D	
2	Coordinator	COR60	US28	
2	Filler Bar	FL20	US28	
2	Lockset	L9080L 17B (301-1,328)	RH 626	
2	Mortise Cylinder	30-001 X 28 C123 50-210-GMK	626	
2	Door Operator	AUTOSWING-RH/PULL-HA8 X 1143	CA	
4	Wall Switch-RND	40/4-PTO+LOGO X 114	SS	
4	TRIM\ADAPTER PLATE	FOR 4" SWITCHES CM-440	AL	
2	ON-OFF-HOLD SWITCH	CM-170\3	32D	
	MOUNT ON OFF SWITCH @ 1050 AFF			
2	Closer	4040 SE STD	689	
4	Kick Plate	GSH 80A 203 X 876	C32D	
2	ASTRAGAL	W-8S X 2750MM	PRIMED	
	MOUNT ASTRAGAL ON PUSH SIDE OF INACTIVE LEAF			
2	Electric Strikes	6222	US32D	
2	Prox Reader	SXF1500	BLK	
2	Reader Interface	WRI400		
2	SCANNER PIR	SCAN 11-W		
2	Power Supply	PS902		
2	LABOUR TO INSTALL:	AUTO OPERATORS AND ACCESSORIES		
2	LABOUR TO INSTALL:	LOW VOLTAGE WIRING TO CARD READERS		

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 46

1 Pr Doors 301-2 PATIO AREA From RECEPTION / WAITING 301 100-RHRA AD1

TYPE A 2- 1070 X 2750 X 45 ALUM DR / ALUM FR

1	Electric Strike	5100-3FP	SP28
1	Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
2	Door Operator	AUTOSWING-LH/PULL-HA8 X 1143	CA
2	Wall Switch-RND	40/4-PTO+LOGO X 114	SS
2	TRIM\ADAPTER PLATE	FOR 4" SWITCHES CM-440	AL
1	Prox Reader	SXF1500	BLK
1	Reader Interface	WRI400	
1	SCANNER PIR	SCAN 11-W	
2	Power Supply	PS902	
2	LABOUR TO INSTALL:	AUTO OPERATORS AND ACCESSORIES	
1	LABOUR TO INSTALL:	LOW VOLTAGE WIRING TO CARD READERS	
	DEADLATCH SUPPLIED BY ALUMINUM DOOR SUPPLIER		

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 47

1 Sgl Door 302 RECEPTION / WAITING 301 To CORRIDOR 302 100-RH AD1

TYPE A 1070 X 2750 X 45 ALUM DR / ALUM FR

1	Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
1	Door Operator	AUTOSWING-RH/PULL-HA8 X 1143	CA
2	Wall Switch-RND	40/4-PTO+LOGO X 114	SS
2	TRIM\ADAPTER PLATE	FOR 4" SWITCHES CM-440	AL
1	Electric Strike	5100-3FP	SP28
1	Prox Reader	SXF1500	BLK
1	Reader Interface	WRI400	
1	SCANNER PIR	SCAN 11-W	
1	Power Supply	PS902	
1	LABOUR TO INSTALL:	AUTO OPERATORS AND ACCESSORIES	
1	LABOUR TO INSTALL:	LOW VOLTAGE WIRING TO CARD READERS	
1	LABOUR TO	REMOVE 17 ESCUTCHEONS (CM-49) AND REPLACE WITH CM-440 PLATES [ ]109, [ ]200-1, [ ]200-2, [ ]213D, [ ]226, [ ]301-1, [ ]301-2, [ ]302, [ ]328	

## Heading # 48

1	Sgl Door 303	CORRIDOR 302 To MEETING ROOM 303	100-RH	AE2
1	Sgl Door 306	CORRIDOR 302 To OFFICE 306	100-RH	AE3
1	Sgl Door 308	CORRIDOR 302 To OFFICE 308	100-LH	AE4
1	Sgl Door 309	CORRIDOR 302 To OFFICE 309	100-LH	AE5
1	Sgl Door 310	CORRIDOR 302 To OFFICE 310	100-RH	AE6

TYPE E 914 X 2750 X 45 SCWD / HMF

20	Hinges	5BB1 114 X 102	652
5	Lockset	AL53PD NEP	626
5	Kick Plate	GSH 80A 203 X 876	C32D
5	Floor Stop	GSH 218	C26D

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 49

1 Sgl Door 320 CORRIDOR 315 From FOYER 328 100-RHR

TYPE B 1070 X 2750 X 45 SCWD / HMF

OPENING DELETED

---

## Heading # 50

1 Sgl Door 316 CORRIDOR 320 To JANITOR 316 100-RH      AD12

TYPE B 914 X 2134 X 45 HMD / HMF  
3/4 HR "C" LABEL

3	Hinges	5BB1 114 X 102	652
1	Lockset	AL80PD NEP	626
1	Closer	4031 REG	689
1	Kick Plate	GSH 80A 203 X 876	C32D
1	Floor Stop	GSH 218	C26D

---

## Heading # 51

1 Sgl Door 317 FOYER 328 To IT 317 100-RH      AE7

TYPE B 914 X 2134 X 45 SCWD / HMF

3	Hinges	5BB1 114 X 102	652
1	Lockset	AL80PD NEP	626
1	Closer	4031 REG	689
1	Kick Plate	GSH 80A 203 X 876	C32D
1	Floor Stop	GSH 218	C26D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 52

1 Sgl Door 321 CORRIDOR 320 To ANTE ROOM 321 100-RH AF2

TYPE B 1070 X 2134 X 45 SCWD / HMF

3	Hinges	5BB1 114 X 102	652
1	Lockset	AL80PD NEP	626
1	Kick Plate	GSH 80A 203 X 1033	C32D
1	Floor Stop	GSH 218	C26D

---

## Heading # 52A

1 Sgl Door 322 CORRIDOR 320 To SERVING KITCHEN 322 100-LH AF2

TYPE B 1070 X 2134 X 45 SCWD / HMF

3	Hinges	5BB1 114 X 102	652
1	Lockset	AL53PD NEP	626
1	Kick Plate	GSH 80A 203 X 1033	C32D
1	Floor Stop	GSH 218	C26D

---

## Heading # 53

1 Pr Doors 323 CORRIDOR 320 To STORAGE 323 100-RHA AF2

TYPE B 2- 914 X 2134 X 45 SCWD / HMF

6	Hinges	5BB1 114 X 102	652
2	Flush Bolt	GSH 401 X 305	C26D
1	Lockset	AL80PD NEP	626
2	Overhead Stop	904S	US32D
2	Kick Plate	GSH 80A 203 X 876	C32D

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 54

1 Pr Doors 320-1	CORRIDOR 320 To MEETING 324	100-RHA	AF2
1 Pr Doors 324-1	FOYER 328 To MEETING 324	100-RHA	AF2
1 Pr Doors 324-2	FOYER 328 To MEETING 324	100-RHA	AF2
1 Pr Doors 325-1	FOYER 328 To MEETING 325	100-RHA	AF3

TYPE B 2- 1070 X 2750 X 45 SCWD / HMF

32 Hinges	5BB1HW 114 X 102	652	
8 Flush Bolt	GSH 401 X 305	C26D	
4 Extension	401 36" Extension		
4 Deadlock	B663P 50-210-GMK C123 10-055	626	
8 Door Pull	4612-1	C32D	
8 Push Plate	GSH 81A 127 X 508	C32D	
8 Overhead Stop	905S	US32D	
8 Kick Plate	GSH 80A 203 X 1033	C32D	

---

## Heading # 55

1 Pr Doors 326	MEETING 325 From PARTITION STORAGE		
1 Pr Doors 327	MEETING 325 From PARTITION STORAGE		

ALL HARDWARE BY DOOR MANUFACTURER

---

## Heading # 56

1 Sgl Door 350	FOYER 328 From UNFINISHED AREA 350	100-LHR	AH1
----------------	------------------------------------	---------	-----

TYPE B 1070 X 2750 X 45 SCWD / HMF

1 1/2 HR "B" LABEL

4 Hinges	5BB1HW 114 X 102	652	
1 Lockset	AL80PD NEP	626	
1 Closer	4031 REG W/62A	689	
1 Kick Plate	GSH 80A 203 X 1033	C32D	
1 Floor Stop	GSH 218	C26D	

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 57

1 Sgl Door MISC ELEVATORS

2 ELEVATOR CONTROL KIT ECK400  
1 Power Supply PS902

---

## Heading # 58

1 Sgl Door MISC1

1 KEY CABINET LUND 1201-A  
200 PROXIMITY KEYFOB IBWB-110  
1 Controller Bright Blue SBB  
1 Power Supply PS902  
2 Interface Module PIM400-485SBB  
1 LABOUR INSTALL ACCESS CONTROL &  
PROGRAM SOFTWARE  
40 MASTER KEYS 49009C120 468  
95 MASTERKEY CYLINDERS 50210  
2 Reader Interface WRI400  
2 Panel Interface Modu PIM-TD2

---

## Heading # 59

1 Sgl Door SAMPLE

1 SAMPLE ESCUTCHEON CM-440 AL  
1 SAMPLE ESCUTCHEON CM-48 AL

---

GOODWILL ONTARIO GREAT LAKES  
SOCIAL ENTERPRISES ABILITIES CENTRE

## Heading # 60

1 Sgl Door 202 2ND FLOOR MENS WASHROOM	AC1
1 Sgl Door 203 2ND FLOOR WOMENS WASHROOM	AC1

## TYPE H ROLLING SHUTTER

2 Mortise Cylinder	20-013 X 28 C123 50-210-GMK	626
BALANCE OF HARDWARE BY DOOR MANUFACTURER		

---